

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"10515876"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 07:53
L2	2	"10515869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 07:56
L3	2	"4942202".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 08:52
L4	2	"6015858".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 08:55
L5	185	528/24,31,32.ccls.	US-PGPUB	ADJ	ON	2008/10/15 09:27
L6	128	525/104,478,479.ccls.	US-PGPUB	ADJ	ON	2008/10/15 09:36
L70	80	556/400,405,413,416-422.ccls. and silane and (epoxy or epoxide or glycerol) and (condensate or hydrolyzate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L69	457	556/400,405,413,416-422.ccls. and silane and (epoxy or epoxide or glycerol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L68	196	556/400,405,413,416-422.ccls. and silane and (hydrolyzate or condensate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L67	1379	556/400,405,413,416-422.ccls. and silane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L66	2975	556/400,405,413,416-422.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L65	15	(two roll mill or two-roll mill) near (extruder or extrusion) same (fluororubber or silicone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L64	557	(two roll mill or two-roll mill) near (extruder or extrusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L63	100	gornowicz\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L62	297	statically near dynamically and (cure or curing or cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L61	593	statically and dynamically and (cure or curing or cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L60	527	equivalent near curing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L59	29	polysiloxane and (cure or cured or curing) and (initiator or peroxide) and (platinum or hydrosilation) and fluororubber	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L58	34	cure near peroxide with advantage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L57	5	cure near peroxide near advantage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L56	3	eckberg\$.in. and dual cure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L55	145	cure and platinum near peroxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L54	4	cure near platinum near peroxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L53	4	addition cure near platinum near peroxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L52	201	reactive extrusion and silicone and blend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L51	273	reactive extrusion and silicone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L50	1353	reactive extrusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L49	153	residence time near ("2" minutes or two minutes) and (extruder or extrusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L48	69	(cure or cured) near extruder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L47	55	extruder near ("2" minutes or two minutes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L46	101	werner near pfeleiderer and silicone rubber	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L45	207	extrusion curing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L44	59	curing near extruder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L43	26	press curing same extrusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L42	0	press curing near extrusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L41	10	252/511.ccls. and \$polysiloxane and (fluororubber or fluorinated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L40	121	252/511.ccls. and \$polysiloxane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L39	745	extrusion near (crosslinked or vulcanized or vulcanization or cure or cured or curing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L38	34	ajbani-manoj\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L37	52	(hydrosilation or hydrosilylation) near (free radical or peroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L36	26	(hydrosilation or hydrosilylation) near (free radical or peroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L35	37	silicone near elastomer and blend and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L34	4	silicone near elastomer and blend and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L33	182	addition near (free radical or peroxide) and organopolysiloxane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L32	8384	addition near (free radical or peroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L31	34	peroxide cure same addition cure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L30	525	264/211.23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L29	69	goronowicz-gerald\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L28	38	chorvath-igor.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L27	138	264/211.24.ccls. and (cure or curing or cured or vulcanized or vulcanization or crosslink or crosslinked or crosslinking)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L26	286	264/211.24.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L25	37	tonge-lauren\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L24	33	twin screw extruder and (fluoroplastic or fluoropolymer) and (silicone or polysiloxane or polyorganosiloxane) and blend. ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L23	711	twin screw extruder and (fluoroplastic or fluoropolymer) and (silicone or polysiloxane or polyorganosiloxane) and blend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L22	8	twin screw extruder and (fluoroplastic or fluoropolymer) and (silicone or polysiloxane or polyorganosiloxane) and dow corning\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L21	868	twin screw extruder and (fluoroplastic or fluoropolymer) and (silicone or polysiloxane or polyorganosiloxane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L20	91	takita-ken\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L19	55	compression molding and (extrusion or extruded) and blend and fluororubber and silicone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L18	39	compression molding and (extrusion or extruded) and blend and fluororubber and silicon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L17	67	statically near (cure or curing or cured or vulcanization or vulcanized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L16	451	statically and elastomer and (cure or curing or cured or vulcanization or vulcanized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L15	306	dynamic and dow corning\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L14	9	statically and dow corning\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L13	37	tonge-lauren\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L12	152	silicone near elastomer near blend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L11	607	silicone and fluoroplastic and blend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L10	2	silicone and fluoroplastic elastomer and blend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L9	14	dynamically vulcanizing and tonge\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L8	382	dynamically vulcanizing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46
L7	8	statically vulcanizing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/15 09:46

L71	216	(L7 or L8 or L9 or L10 or L11 or L12 or L13 or L14 or L15 or L16 or L17 or L18 or L19 or L20 or L21 or L22 or L23 or L24 or L25 or L26 or L27 or L28 or L29 or L30 or L31 or L33 or L34 or L35 or L36 or L37 or L38 or L39 or L40 or L41 or L42 or L43 or L44 or L45 or L46 or L47 or L48 or L49 or L50 or L51 or L52 or L53 or L54 or L55 or L56 or L57 or L58 or L59 or L60 or L61 or L62 or L63 or L64 or L65 or L66 or L67 or L68 or L69 or L70) and @pd> "20080404"	US-PGPUB	ADJ	ON	2008/10/15 09:54
-----	-----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-----	----	---------------------

10/15/2008 9:55:47 AM

C:\Documents and Settings\rloewe\My Documents\EAST\Workspaces\11596138.wsp